



Bharath
INSTITUTE OF HIGHER EDUCATION AND RESEARCH

(Declared as deemed to be university under section 3 of UGC Act 1956, vide notification No.F.9-5/2000-U.3)



URIC ACID AND ITS CLINICAL SIGNIFICANCE

Prof. Dr. V Padma
Dr. Abhilash B Nair

URIC ACID AND ITS CLINICAL SIGNIFICANCE

V PADMA MD, FRCP, FACP, FIMSA

Professor,

Department of Internal Medicine

Sree Balaji Medical College and Hospital,

Chennai, Tamil Nadu, India

ABHILASH B NAIR MBBS

Resident,

Department of Internal Medicine

Sree Balaji Medical College and Hospital,

Chennai, Tamil Nadu, India

- 61) Major TJ, Topless RK, Dalbeth N, Merriman TR. Evaluation of the diet wide contribution to serum urate levels: meta-analysis of population based cohorts. BMJ 2018
- 62) Ichida K, Hosoyamada M, Hisatome I, et al. Clinical and molecular analysis of patients with renal hypouricemia in Japan-influence of URAT1 gene on urinary urate excretion. J Am Soc Nephrol 2004; 15:164.
- 63) Matsuo H, Chiba T, Nagamori S, et al. Mutations in glucose transporter 9 gene SLC2A9 cause renal hypouricemia. Am J Hum Genet 2008; 83:744



978-93-5473-051-1