

**Natural Bioactive Molecules in  
Discovery of Novel Drugs  
By  
Palaniyandi Velusamy**

**Department of R & D Wing  
Sree Balaji medical  
college and Hospital  
chromepet-600044**



**Discovery Publications**

No. 9, Plot,1080A, Rohini Flats, Munusamy Salai,  
K.K.Nagar West, Chennai - 78. Tamilnadu, India.

Mobile: +91 99404 46650

# **Natural Bioactive Molecules in Discovery of Novel Drugs**

**Palaniyandi Velusamy©**

First Edition: April - 2022

ISBN: 978-93-94762-58-9

Pages 110

Print in India

**Rs. 300**

## **Discovery Publications**

No. 9, Plot,1080A, Rohini Flats, Munusamy Salai,  
K.K.Nagar West, Chennai - 78. Tamilnadu, India.

[discoverybookpalace@gmail.com](mailto:discoverybookpalace@gmail.com)

[WWW.DISCOVERYBOOKPALACE.COM](http://WWW.DISCOVERYBOOKPALACE.COM)

- [193] Pelander, A., Ojanpera, I., Laks, S., Rasanen, I., and Vuori, E., “Toxicological screening with formula-based metabolite identification by liquid chromatography/time-of-flight mass spectrometry,” *Anal. Chem.*, 75(21), pp. 5710–5718, 2003.
- [194] Griffiths, P., and de Hasseth, J. A., (2007), Fourier Transform Infrared Spectrometry, 2<sup>nd</sup> edition, Wiley-Blackwell Publications, New Jersey, USA.
- [195] Baker, M. J., Trevisan, J., Bassan, P., Bhargava, R., Butler, H. J., Dorling, K. M., and Fielden, P. R., “Using Fourier transform IR spectroscopy to analyze biological materials,” *Nat. Protoc.*, 9(8), pp. 1771–1791, 2014.
- [196] Brault, J. W., “New Approach to high-precision Fourier transform spectrometer design,” *Appl. Opt.*, 35(16), pp. 2891–2896, 1996.
- [197] Roberts, J. D., (1959), Nuclear Magnetic Resonance : applications to organic chemistry, McGraw-Hill Series in Advanced Chemistry, McGraw-Hill Book Company, Inc, New York, NY, USA.
- [198] Silverstein, R. M., Bassler, G. C., and Morrill, T. C., (1991), Spectrometric Identification of Organic Compounds, 5<sup>th</sup> edition, John Wiley & Son, New York, NY, USA.
- [199] Caytan, E., Remaud, G. S., Tenailleau, E., and Akoka, S., “Precise and accurate quantitative (13) C NMR with reduced experimental time,” *Talanta.*, 71(3), pp. 1016–1021, 2007.
- [200] Qiu, Y., and Wang, X. M., “A new sesquiterpenoid hydroquinone from the marine sponge *Dysidea arenaria*,” *Molecules.*, 13(6), pp. 1275–1281, 2008.
- [201] Abed, C., Legrave, N., Dufies, M., Robert, G., Guerineau, V., Vacelet, J., Auberger, P., Amade, P., and Mehiri, M., “A new hydroxylated nonaprenylhydroquinone from the mediterranean marine sponge *Sarcotragus spinosulus*,” *Mar. Drugs.*, 9(7), pp. 1210–1219, 2011.
- [202] Bonev, B., Hooper, J., and Parisot, J., “Principles of assessing bacterial susceptibility to antibiotics using the agar diffusion method,” *J. Antimicrob. Chemother.*, 61(6), pp. 1295–1301, 2008.
- [203] Andrews, J. M., “Determination of minimum inhibitory concentrations,” *J. Antimicrob. Chemother.*, 48, pp. 5–16, 2001.
- [204] French, G. L., “Bactericidal agents in the treatment of MRSA infections-the potential role of daptomycin,” *J. Antimicrob. Chemother.*, 58(6), pp. 1107–1117, 2006.
- [205] Scheetz, M. H., Qi, C., Warren, J. R., Postelnick, M. J., Zembower, T., Obias, A., and Noskin, G. A., “*In vitro* activities of various antimicrobials alone and in combination with tigecycline against carbapenem intermediate or resistant *Acinetobacter baumannii*,” *Antimicrob. Agents Chemother.*, 51(5), pp. 1621–1626, 2007.
- [206] Brown, M., and Wittwer, C., “Flow cytometry: principles and clinical applications in hematology,” *Clin. Chem.*, 46(8), pp. 1221–1229, 2000.
- [207] Julius, M. H., Masuda, T., and Herzenberg, L. A., “Demonstration that antigen-binding cells are precursors of antibody-producing cells after purification with a fluorescence-activated cell sorter,” *Proc. Natl. Acad. Sci.*, 69(7), pp. 1934–1938, 1972.

- [208] Murphy, R. W., Lowcock, L. A., Smith, C., Darevsky, I. S., Orlov, N., MacCulloch, R. D., and Upton, D. E., “Flow cytometry in biodiversity surveys: methods, utility and constraints” *Amphibia-Reptilia*, 18, 1–13, 1997.
- [209] Bauer, A. W., Kirby, W. M. M., Sherris, J. C., and Turck, M., “Antibiotic susceptibility testing by a standardized single disk method,” *Am. J. Clin. Pathol.*, 45(4), pp. 493-496, 1966.
- [210] NCCLS-National Committee for Clinical Laboratory Standards., (2006), Methods for dilution antimicrobial susceptibility tests for bacteria that grow aerobically, Approved standard, seventh edition, NCCLS document M7-A7, Wayne PA, National Committee for Clinical Laboratory Standards.
- [211] Ooi, N., Chopra, I., Eady, A., Cove, J., Bojar, R., and O'Neill, A. J., “Antibacterial activity and mode of action of tert-butylhydroquinone (TBHQ) and its oxidation product, tert-butylbenzoquinone (TBBQ),” *J. Antimicrob. Chemother.*, 68(6), pp. 1297-1304, 2013.
- [212] Kim, M. H., Jo, S. H., Ha, K. S., Song, J. H., Jang, H. D., and Kwon, Y. I., “Antimicrobial activities of 1,4-benzoquinones and wheat germ extract,” *J. Microbiol. Biotechnol.*, 20(8), pp. 1204-1209, 2010.
- [213] Ruger, M., Bensch, G., Tungler, R., and Reichl, U., “A flow cytometric method for viability assessment of *Staphylococcus aureus* and *Burkholderia cepacia* in mixed culture,” *Cytometry A*, 81(12), pp. 1055-1066, 2012.
- [214] Novo, D. J., Perlmutter, N. G., Hunt, R. H., and Shapiro, H. M., “Multiparameter flow cytometric analysis of antibiotic effects on membrane potential, membrane permeability, and bacterial counts of *Staphylococcus aureus* and *Micrococcus luteus*,” *Antimicrob. Agents Chemother.*, 44(4), pp. 827-834, 2000.
- [215] Higgins, D. L., Chang, R., Debabov, D. V., Leung, J., Wu, T., Krause, K. M., Sandvik, E., Hubbard, J. M., Kaniga, K., Schmidt, D. E., Gao, Q., Cass, R. T., Karr, D. E., Benton, B. M., and Humphrey, P. P., “Telavancin, a multifunctional lipoglycopeptide, disrupts both cell wall synthesis and cell membrane integrity in methicillin-resistant *Staphylococcus aureus*,” *Antimicrob. Agents. Chemother.*, 49(3), pp. 1127-1134, 2005.
- [216] Rudenberg, H. G., and Rudenberg, P. G., “Chapter 6 – Origin and Background of the Invention of the Electron Microscope: Commentary and Expanded Notes on Memoir of Reinhold Rudenberg,” *Adv. Imag. Elect. Phys.*, 160, pp. 207–286, 2010.
- [217] Spence, J. C. H., (1988), “Experimental high-resolution electron microscopy,” Oxford University Press, New York, NY, USA.

- [218] Williams, D. B., and Carter, C. B., (1996), "Transmission electron microscopy: A textbook for materials science," Plenum Press, New York, NY, USA.
- [219] Oatley, C. W., Nixon, W. C., and Pease, R. F. W., "Scanning electron microscopy," *Adv. Electronics. Electron. Phys.*, 21, pp. 181–247, 1965.
- [220] Dinning, A. J., Al-Adham, I. S., Eastwood, I. M., Austin, P., and Collier, P. J., "Pyridine biocides as inhibitors of bacterial ATP synthesis," *J. Appl. Microbiol.*, 85(1), pp. 141–146, 1998.
- [221] Peterkofsky, A., and Gazdar, C., "Escherichia coli adenylate cyclase complex: regulation by the proton electrochemical gradient," *Proc. Natl. Acad. Sci. USA.*, 76(3), pp. 1099–1103, 1979.
- [222] Novo, D. J., Perlmutter, N. G., Hunt, R. H., and Shapiro, H. M., "Accurate flow cytometric membrane potential measurement in bacteria using diethyloxacarbocyanine and a ratiometric technique," *Cytometry.*, 35(1), pp. 55–63, 1999.
- [223] Hartmann, M., Berditsch, M., Hawecker, J., Ardakani, M. F., Gerthsen, D., and Ulrich, A. S., "Damage of the bacterial cell envelope by antimicrobial peptides Gramicidin S and PGLa as revealed by Transmission and Scanning electron microscopy," *Antimicrob. Agents. Chemother.*, 54(8), pp. 3132–3142, 2010.
- [224] Huang, E., and Yousef, E. Y., "The Lipopeptide antibiotic Paenibacterin binds to the bacterial outer membrane and exerts bactericidal activity through cytoplasmic membrane damage," *Appl. Environ. Microbiol.*, 80(9), pp. 2700–2704, 2014.
- [225] Hyo, Y., Yamada, S., Ishimatsu, M., Fukutsuji, K., and Harada, T., "Antimicrobial effects of Burow's solution on *Staphylococcus aureus* and *Pseudomonas aeruginosa*," *Med. Mol. Morphol.*, 45(2), pp. 66–71, 2012.
- [226] Sims, P. J., Waggoner, A. S., Wang, C. H., and Hoffman, J. F., "Studies on the mechanism by which cyanine dyes measure membrane potential in red blood cells and phosphatidyl choline vesicles," *Biochemistry.*, 13(6), pp. 3315–3330, 1974.
- [227] Zhang, L., Dhillon, P., Yan, H., Farmer, S., and Hancock, R. E., "Interactions of bacterial cationic peptide antibiotics with outer and cytoplasmic membranes of *Pseudomonas aeruginosa*," *Antimicrob. Agents. Chemother.*, 44(12), pp. 3317–3321, 2000.