





**SREE BALAJI MEDICAL COLLEGE & HOSPITAL**  
**CHROMEPET, CHENNAI - 600044**



**DEPARTMENT OF OBSTETRICS AND GYNAECOLOGY**  
**AND MEDICAL EDUCATIONAL UNIT**

**Cordially invite you to journal club**

**TITLE - Mifepristone as an induction agent in**  
**Primigravida at term gestation**

---

**PRESENTER**

**Dr.Aswini.G**  
**First year PG**  
**OBG**

**MODERATORS**

**Dr. Nithya.R**  
**Associate professor**  
**Dept of OBG**


**Dr. Manoshi**  
**Senior Resident**  
**Dept of OBG**

---

**Date : 8/8/25**  
**Time : 1pm -3pm**  
**Place : Raman Hall**

**PROF.DR.SASIKUMAR.P**  
**DEAN,**  
**SBMCH**

**PROF. DR. MEENA .T.S**  
**HOD**  
**DEPT OF OBG**  
**SBMCH**



PRESENTER:

Dr. Aswini.G

1<sup>st</sup> year PG

Dept of OBG

SBMCH

TITLE : Mifepristone as an induction agent in Primigravida at term gestation

JOURNAL DETAILS :

The New Indian Journal of OBGYN. 2025; 11(2):307 -12.

Received: 11<sup>th</sup> February 2023,

Peer review completed: 15<sup>th</sup> September 2023

Accepted: 19<sup>th</sup> September 2023

Nayakar PF, Ambika HE, Veeresh A, Manjula B, Tejashree M.

SUMMARY:

The study reveals mifepristone is a safe and effective induction agent for cervical ripening and initiation of labour in term gestation. It has an advantage of ease of administration, better patient compliance and acceptance. Mifepristone can be used as an inducing agent in term pregnancy due to its effect on improved Bishop's score given prior 24hrs or 48hrs for cervical ripening decreased requirement of prostaglandin with prior use of mifepristone, decreased duration of induction to active onset of labour and induction delivery interval, mode of delivery, neonatal outcome and maternal outcome